

	Application No.	Applicant(s)
Notice of Allowability	10/767,198	MATSUOKA ET AL.
	Examiner	Art Unit
	Toan N. Pham	2632
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-10</u> .		
3. The drawings filed on 30 January 2004 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application	n No
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on the	e drawings in the front (not the back) of
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Info	ormal Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		mmary (PTO-413), Apil Date
3. A Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 01/30/04	8), 7. Examiner's A	Mail Date Amendment/Comment
4. Examiner's Comment Regarding Requirement for Deposit		Statement of Reasons for Allowance
of Biological Material	9. Other	•

Art Unit: 2632

Priority

Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Allowable Subject Matter

Claims 1-10 are allowed.

The following is an examiner's statement of reasons for allowance: The present invention is directed to providing a monitoring apparatus for monitoring monitor information sent from objects to be monitor. Each independent claim identified the uniquely distinct features:

Regarding claim 1: "means for detecting an abnormality in the monitor information sent from said object to be monitored; means for notifying of the abnormality in the object to be monitored detected by said abnormality detecting means; and means for displaying associated information about said detected monitor information of the object to be monitored when said operating means is operated after notification said notifying means".

Regarding claim 9: "means for detecting an abnormality in the monitor information sent from said plurality of external devices; and means for notifying of the abnormality in the monitor information detected by said abnormality detecting means, wherein the operation of said operating means after the notification of said notifying means causes stoppage of the notification".

Regarding claim 10: "means for detecting an abnormality or fault in states of units inside of said monitoring apparatus; means for notifying the abnormality or fault in the states of the internal units said monitoring apparatus detected by said abnormality detecting means; and means for displaying associated information about said abnormality or fault when said operating means is operated after the notification of said notifying means".

The prior art cited herein fail to anticipate or render the above limitations obvious.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The prior art of Minagawa (US 6,023,774), Suzuki et al. (US 6,907,388), Tanaka et al. (US 6,879,867), Mochizuki et al. (US 5,414,632) are cited to show a variety of abnormality monitoring systems.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Toan N. Pham whose telephone number is (571) 272-2967. The examiner can normally be reached on M-F.

Application/Control Number: 10/767,198 Page 4

Art Unit: 2632

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel J. Wu can be reached on (571) 272-2964. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

July 8, 2005

TOAN N. PHAM
PRIMARY EXAMINER